

SPECIFICATION LIST

ROUCHTEC® cUL^{us} LISTED Fire Sprinkler

To find out ROUCHTEC UL Listing information please consult www.ul.com by checking ROUCHTEC UL File Number EX6654



Product:

ROUCHTEC®  Horizontal Sidewall Fire Sprinkler



* K=5.6 (80.6) ** Casting DZR Frame, Job® Glass Bulb

Model	S/N	Description
SH017	PSN01233311	Horizontal Sidewall - Standard Response - Brass Finish - NPT1/2 - 57°C/135°F
	PSN01233321	Horizontal Sidewall - Standard Response - Brass Finish - NPT1/2 - 68°C/155°F
	PSN01233331	Horizontal Sidewall - Standard Response - Brass Finish - NPT1/2 - 79°C/175°F
	PSN01233341	Horizontal Sidewall - Standard Response - Brass Finish - NPT1/2 - 93°C/200°F
	PSN01233313	Horizontal Sidewall - Standard Response - Brass Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01233323	Horizontal Sidewall - Standard Response - Brass Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01233333	Horizontal Sidewall - Standard Response - Brass Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01233343	Horizontal Sidewall - Standard Response - Brass Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01233312	Horizontal Sidewall - Standard Response - Chrome Finish - NPT1/2 - 57°C/135°F
	PSN01233322	Horizontal Sidewall - Standard Response - Chrome Finish - NPT1/2 - 68°C/155°F
	PSN01233332	Horizontal Sidewall - Standard Response - Chrome Finish - NPT1/2 - 79°C/175°F
	PSN01233342	Horizontal Sidewall - Standard Response - Chrome Finish - NPT1/2 - 93°C/200°F
	PSN01233314	Horizontal Sidewall - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01233324	Horizontal Sidewall - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01233334	Horizontal Sidewall - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01233344	Horizontal Sidewall - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01233315	Horizontal Sidewall - Standard Response - White Finish - NPT1/2 - 57°C/135°F
	PSN01233325	Horizontal Sidewall - Standard Response - White Finish - NPT1/2 - 68°C/155°F
	PSN01233335	Horizontal Sidewall - Standard Response - White Finish - NPT1/2 - 79°C/175°F
	PSN01233345	Horizontal Sidewall - Standard Response - White Finish - NPT1/2 - 93°C/200°F
SH018	PSN01243311	Horizontal Sidewall - Quick Response - Brass Finish - NPT1/2 - 57°C/135°F
	PSN01243321	Horizontal Sidewall - Quick Response - Brass Finish - NPT1/2 - 68°C/155°F
	PSN01243331	Horizontal Sidewall - Quick Response - Brass Finish - NPT1/2 - 79°C/175°F
	PSN01243341	Horizontal Sidewall - Quick Response - Brass Finish - NPT1/2 - 93°C/200°F
	PSN01243313	Horizontal Sidewall - Quick Response - Brass Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01243323	Horizontal Sidewall - Quick Response - Brass Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01243333	Horizontal Sidewall - Quick Response - Brass Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01243343	Horizontal Sidewall - Quick Response - Brass Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01243312	Horizontal Sidewall - Quick Response - Chrome Finish - NPT1/2 - 57°C/135°F
	PSN01243322	Horizontal Sidewall - Quick Response - Chrome Finish - NPT1/2 - 68°C/155°F
	PSN01243332	Horizontal Sidewall - Quick Response - Chrome Finish - NPT1/2 - 79°C/175°F
	PSN01243342	Horizontal Sidewall - Quick Response - Chrome Finish - NPT1/2 - 93°C/200°F
	PSN01243314	Horizontal Sidewall - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01243324	Horizontal Sidewall - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01243334	Horizontal Sidewall - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01243344	Horizontal Sidewall - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01243315	Horizontal Sidewall - Quick Response - White Finish - NPT1/2 - 57°C/135°F
	PSN01243325	Horizontal Sidewall - Quick Response - White Finish - NPT1/2 - 68°C/155°F
	PSN01243335	Horizontal Sidewall - Quick Response - White Finish - NPT1/2 - 79°C/175°F
	PSN01243345	Horizontal Sidewall - Quick Response - White Finish - NPT1/2 - 93°C/200°F
PSN01243316	Horizontal Sidewall - Quick Response - White Finish - R1/2 per ISO7/1 - 57°C/135°F	
PSN01243326	Horizontal Sidewall - Quick Response - White Finish - R1/2 per ISO7/1 - 68°C/155°F	
PSN01243336	Horizontal Sidewall - Quick Response - White Finish - R1/2 per ISO7/1 - 79°C/175°F	
PSN01243346	Horizontal Sidewall - Quick Response - White Finish - R1/2 per ISO7/1 - 93°C/200°F	

Product:

ROUCHTEC®  Upright Fire Sprinkler



* K=5.6 (80.6) ** Casting DZR Frame, Job® Glass Bulb

Model	S/N	Description
SH003	PSN01231311	Upright - Standard Response - Brass Finish - NPT1/2 - 57°C/135°F
	PSN01231321	Upright - Standard Response - Brass Finish - NPT1/2 - 68°C/155°F
	PSN01231331	Upright - Standard Response - Brass Finish - NPT1/2 - 79°C/175°F
	PSN01231341	Upright - Standard Response - Brass Finish - NPT1/2 - 93°C/200°F
	PSN01231313	Upright - Standard Response - Brass Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01231323	Upright - Standard Response - Brass Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01231333	Upright - Standard Response - Brass Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01231343	Upright - Standard Response - Brass Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01231312	Upright - Standard Response - Chrome Finish - NPT1/2 - 57°C/135°F
	PSN01231322	Upright - Standard Response - Chrome Finish - NPT1/2 - 68°C/155°F
	PSN01231332	Upright - Standard Response - Chrome Finish - NPT1/2 - 79°C/175°F
	PSN01231342	Upright - Standard Response - Chrome Finish - NPT1/2 - 93°C/200°F
	PSN01231314	Upright - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01231324	Upright - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01231334	Upright - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01231344	Upright - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01231315	Upright - Standard Response - White Finish - NPT1/2 - 57°C/135°F
	PSN01231325	Upright - Standard Response - White Finish - NPT1/2 - 68°C/155°F
	PSN01231335	Upright - Standard Response - White Finish - NPT1/2 - 79°C/175°F
	PSN01231345	Upright - Standard Response - White Finish - NPT1/2 - 93°C/200°F
SH004	PSN01241311	Upright - Quick Response - Brass Finish - NPT1/2 - 57°C/135°F
	PSN01241321	Upright - Quick Response - Brass Finish - NPT1/2 - 68°C/155°F
	PSN01241331	Upright - Quick Response - Brass Finish - NPT1/2 - 79°C/175°F
	PSN01241341	Upright - Quick Response - Brass Finish - NPT1/2 - 93°C/200°F
	PSN01241313	Upright - Quick Response - Brass Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01241323	Upright - Quick Response - Brass Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01241333	Upright - Quick Response - Brass Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01241343	Upright - Quick Response - Brass Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01241312	Upright - Quick Response - Chrome Finish - NPT1/2 - 57°C/135°F
	PSN01241322	Upright - Quick Response - Chrome Finish - NPT1/2 - 68°C/155°F
	PSN01241332	Upright - Quick Response - Chrome Finish - NPT1/2 - 79°C/175°F
	PSN01241342	Upright - Quick Response - Chrome Finish - NPT1/2 - 93°C/200°F
	PSN01241314	Upright - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01241324	Upright - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01241334	Upright - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01241344	Upright - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01241315	Upright - Quick Response - White Finish - NPT1/2 - 57°C/135°F
	PSN01241325	Upright - Quick Response - White Finish - NPT1/2 - 68°C/155°F
	PSN01241335	Upright - Quick Response - White Finish - NPT1/2 - 79°C/175°F
	PSN01241345	Upright - Quick Response - White Finish - NPT1/2 - 93°C/200°F
PSN01241316	Upright - Quick Response - White Finish - R1/2 per ISO7/1 - 57°C/135°F	
PSN01241326	Upright - Quick Response - White Finish - R1/2 per ISO7/1 - 68°C/155°F	
PSN01241336	Upright - Quick Response - White Finish - R1/2 per ISO7/1 - 79°C/175°F	
PSN01241346	Upright - Quick Response - White Finish - R1/2 per ISO7/1 - 93°C/200°F	

Product:

ROUCHTEC®  US Pendent Fire Sprinkler




* K=5.6 (80.6) ** Casting DZR Frame, Job® Glass Bulb

Model	S/N	Description
SH005	PSN01232311	Pendent - Standard Response - Brass Finish - NPT1/2 - 57°C/135°F
	PSN01232321	Pendent - Standard Response - Brass Finish - NPT1/2 - 68°C/155°F
	PSN01232331	Pendent - Standard Response - Brass Finish - NPT1/2 - 79°C/175°F
	PSN01232341	Pendent - Standard Response - Brass Finish - NPT1/2 - 93°C/200°F
	PSN01232313	Pendent - Standard Response - Brass Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01232323	Pendent - Standard Response - Brass Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01232333	Pendent - Standard Response - Brass Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01232343	Pendent - Standard Response - Brass Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01232312	Pendent - Standard Response - Chrome Finish - NPT1/2 - 57°C/135°F
	PSN01232322	Pendent - Standard Response - Chrome Finish - NPT1/2 - 68°C/155°F
	PSN01232332	Pendent - Standard Response - Chrome Finish - NPT1/2 - 79°C/175°F
	PSN01232342	Pendent - Standard Response - Chrome Finish - NPT1/2 - 93°C/200°F
	PSN01232314	Pendent - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01232324	Pendent - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01232334	Pendent - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01232344	Pendent - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01232315	Pendent - Standard Response - White Finish - NPT1/2 - 57°C/135°F
	PSN01232325	Pendent - Standard Response - White Finish - NPT1/2 - 68°C/155°F
	PSN01232335	Pendent - Standard Response - White Finish - NPT1/2 - 79°C/175°F
	PSN01232345	Pendent - Standard Response - White Finish - NPT1/2 - 93°C/200°F
	PSN01232316	Pendent - Standard Response - White Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01232326	Pendent - Standard Response - White Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01232336	Pendent - Standard Response - White Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01232346	Pendent - Standard Response - White Finish - R1/2 per ISO7/1 - 93°C/200°F
SH006	PSN01242311	Pendent - Quick Response - Brass Finish - NPT1/2 - 57°C/135°F
	PSN01242321	Pendent - Quick Response - Brass Finish - NPT1/2 - 68°C/155°F
	PSN01242331	Pendent - Quick Response - Brass Finish - NPT1/2 - 79°C/175°F
	PSN01242341	Pendent - Quick Response - Brass Finish - NPT1/2 - 93°C/200°F
	PSN01242313	Pendent - Quick Response - Brass Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01242323	Pendent - Quick Response - Brass Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01242333	Pendent - Quick Response - Brass Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01242343	Pendent - Quick Response - Brass Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01242312	Pendent - Quick Response - Chrome Finish - NPT1/2 - 57°C/135°F
	PSN01242322	Pendent - Quick Response - Chrome Finish - NPT1/2 - 68°C/155°F
	PSN01242332	Pendent - Quick Response - Chrome Finish - NPT1/2 - 79°C/175°F
	PSN01242342	Pendent - Quick Response - Chrome Finish - NPT1/2 - 93°C/200°F
	PSN01242314	Pendent - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01242324	Pendent - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01242334	Pendent - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01242344	Pendent - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN01242315	Pendent - Quick Response - White Finish - NPT1/2 - 57°C/135°F
	PSN01242325	Pendent - Quick Response - White Finish - NPT1/2 - 68°C/155°F
	PSN01242335	Pendent - Quick Response - White Finish - NPT1/2 - 79°C/175°F
	PSN01242345	Pendent - Quick Response - White Finish - NPT1/2 - 93°C/200°F
	PSN01242316	Pendent - Quick Response - White Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN01242326	Pendent - Quick Response - White Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN01242336	Pendent - Quick Response - White Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN01242346	Pendent - Quick Response - White Finish - R1/2 per ISO7/1 - 93°C/200°F

Product:

ROUCHTEC®  US Concealed Pendent Fire Sprinkler



* K=5.6 (80.6) ** Forging C-87400 Frame, Job® Glass Bulb

Model	S/N	Description
SH007	PSN5-007-1-1-135	Concealed Pendent - Standard Response - Brass Finish - NPT1/2 - 57°C/135°F
	PSN5-007-1-1-155	Concealed Pendent - Standard Response - Brass Finish - NPT1/2 - 68°C/155°F
	PSN5-007-1-1-175	Concealed Pendent - Standard Response - Brass Finish - NPT1/2 - 79°C/175°F
	PSN5-007-1-1-200	Concealed Pendent - Standard Response - Brass Finish - NPT1/2 - 93°C/200°F
	PSN5-007-1-2-135	Concealed Pendent - Standard Response - Brass Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN5-007-1-2-155	Concealed Pendent - Standard Response - Brass Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN5-007-1-2-175	Concealed Pendent - Standard Response - Brass Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN5-007-1-2-200	Concealed Pendent - Standard Response - Brass Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN5-007-2-1-135	Concealed Pendent - Standard Response - Chrome Finish - NPT1/2 - 57°C/135°F
	PSN5-007-2-1-155	Concealed Pendent - Standard Response - Chrome Finish - NPT1/2 - 68°C/155°F
	PSN5-007-2-1-175	Concealed Pendent - Standard Response - Chrome Finish - NPT1/2 - 79°C/175°F
	PSN5-007-2-1-200	Concealed Pendent - Standard Response - Chrome Finish - NPT1/2 - 93°C/200°F
	PSN5-007-2-2-135	Concealed Pendent - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN5-007-2-2-155	Concealed Pendent - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN5-007-2-2-175	Concealed Pendent - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN5-007-2-2-200	Concealed Pendent - Standard Response - Chrome Finish - R1/2 per ISO7/1 - 93°C/200°F
SH008	PSN5-008-1-1-135	Concealed Pendent - Quick Response - Brass Finish - NPT1/2 - 57°C/135°F
	PSN5-008-1-1-155	Concealed Pendent - Quick Response - Brass Finish - NPT1/2 - 68°C/155°F
	PSN5-008-1-1-175	Concealed Pendent - Quick Response - Brass Finish - NPT1/2 - 79°C/175°F
	PSN5-008-1-1-200	Concealed Pendent - Quick Response - Brass Finish - NPT1/2 - 93°C/200°F
	PSN5-008-1-2-135	Concealed Pendent - Quick Response - Brass Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN5-008-1-2-155	Concealed Pendent - Quick Response - Brass Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN5-008-1-2-175	Concealed Pendent - Quick Response - Brass Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN5-008-1-2-200	Concealed Pendent - Quick Response - Brass Finish - R1/2 per ISO7/1 - 93°C/200°F
	PSN5-008-2-1-135	Concealed Pendent - Quick Response - Chrome Finish - NPT1/2 - 57°C/135°F
	PSN5-008-2-1-155	Concealed Pendent - Quick Response - Chrome Finish - NPT1/2 - 68°C/155°F
	PSN5-008-2-1-175	Concealed Pendent - Quick Response - Chrome Finish - NPT1/2 - 79°C/175°F
	PSN5-008-2-1-200	Concealed Pendent - Quick Response - Chrome Finish - NPT1/2 - 93°C/200°F
	PSN5-008-2-2-135	Concealed Pendent - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 57°C/135°F
	PSN5-008-2-2-155	Concealed Pendent - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 68°C/155°F
	PSN5-008-2-2-175	Concealed Pendent - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 79°C/175°F
	PSN5-008-2-2-200	Concealed Pendent - Quick Response - Chrome Finish - R1/2 per ISO7/1 - 93°C/200°F

Sprinkler Accessories

Recessed Escutcheon




Model	S/N	Description
E-1	PSN5-RE-1-1	Recessed Escutcheon, Chrome, Available for using with 1/2" sprinkler heads.
	PSN5-RE-1-2	Recessed Escutcheon, White, Available for using with 1/2" sprinkler heads.

Standard Escutcheon



Model	S/N	Description
E-0	PSN0608111	Standard Escutcheon, Chrome, Available for using with 1/2" sprinkler heads

Sprinkler Wrenches



Model	S/N	Description
T-1	PSN0109	Sprinkler Wrench. Available for installation of ROUCHTEC fire Sprinkler.